TriadVent Day-to-Day Natural Ventilation



MoffittCorp.com | (800) 474-3267 1351 13th Ave S. Suite 130 Jacksonville Beach, FL 32250



TriadVent Natural Ventilator / Daylighting

TriadVent Product Details

PRODUCT DESCRIPTION

The TriadVent is designed for commercial and industrial applications. Each TriadVent serves as a highly efficient, low-cost natural ventilation opening when the flaps are open, and full weather protection when they are closed. It is fabricated from aluminum with polycarbonate top flaps and ships assembled. The opening is equipped with a tested life safety guard.

STANDARD FEATURES

- Aluminum Construction
- Mill finish
- Operators
- Translucent Poly-Carbonate Lids
- Compact Shipping

PRODUCT BENEFITS

- Uses no energy
- No maintenance
- · Silent operation
- Zero operational cost
- Long life span
- Architecturally pleasing
- · Minimal impact to building, limited structural work necessary
- Easy to hoist onto a the roof and install
- Low profile lessens impact of the wind on the roof.

INDUSTRY APPLICATIONS

- Aluminum
- General Manufacturing
- Glass Plants
- Chemical Plants
- Mine Processing Plants
- Steel Plants
- Power Plants
- Pulp & Paper Plants

OPTIONAL FEATURES

- · Paint to color match in various material coatings
- Optional construction materials available
- Bird screen

+ Others

Warehouses

Storage Facilities


Universities & Schools

All Specifications are subject to change without notice unless approved in submittal by Moffitt Corporation



TriadVent Natural Ventilator / Daylighting

TriadVent Submittal Data



Model	Throat Width	Throat Length	Height (opened)	Height (closed)	Weight
Minimum	48"	48"	33 ¾"	15"	187 lbs.
Maximum	72"	96"	46 ¾"	16"	321 lbs.

All Specifications are subject to change without notice unless approved in submittal by Moffitt

